

# SAFETY DATA SHEET

SDS No. 1164BEU

according to Regulation (EC) No. 1907/2006 as amended Version 1 Revision Date November 2, 2022

|     | Section 1 - Identification of the substance/mixture and of the company/undertaking |   |  |  |
|-----|--|---|--|--|
| 1.1 | <b>Product Identifier</b><br>Trade Name:   | Part B: Free Form® Habitat® Flex FR   |  |  |
| 1.2 | <b>Relevant identified uses o</b><br>General Use:<br>Restrictions on Use:          | f the substance or mixture and uses advised against<br>Epoxy Curative<br>None known                                     |  |  |
| 1.3 | <b>Details of the supplier of t</b><br>Company:<br>Telephone:                      | <b>he safety data sheet:</b><br>Smooth-On, Inc.,<br>5600 Lower Macungie Rd., Macungie, PA 18062<br>Phone (610) 252-5800 |  |  |
|     | E-mail address of person: responsible for the SDS                                  | Visit our website at <u>www.smooth-on.com</u> or email sds@smooth-on.com  |  |  |
| 1.4 | Emergency Contact:   | Chem-Tel Domestic: 800-255-3924 International: 813-248-0585   |  |  |
|     |  | Italy Istituto Superiore di Sanità (ISS) +390649906140  |  |  |

# Section 2 – Hazard(s) Identification

# 2.1 Classification of the substance or mixture:

# Classification (REGULATION (EC) No 1272/2008) as amended

- H315 Skin Corrosion/Irritation Category 2
- **H319** Eye irritation Category 2A

For the full text of the H-Statements mentioned in this Section, see Section 16

# 2.2 Label elements, including precautionary statements

# Labelling (REGULATION (EC) No 1272/2008) as amended

Pictogram(s): Signal word: Warning

# Health Hazards

| H315                   | Causes skin irritation.   |  |  |  |
|------------------------|---|--|--|--|
| H319                   | Causes serious eye irritation.  |  |  |  |
| General                | Precautions   |  |  |  |
| P101                   | If medical advice is needed, have product container or label at hand. |  |  |  |
| P102                   | Keep out of reach of children.  |  |  |  |
| P103                   | Read label before use.  |  |  |  |
| Prevention Precautions |   |  |  |  |

| P262                       | Do not get in eyes, on skin, or on clothing.                              |  |  |
|----------------------------|---|--|--|
| P264                       | Wash skin thoroughly after handling.                                      |  |  |
| P271                       | Use only outdoors or in a well-ventilated area.                           |  |  |
| <b>Response Precaution</b> | ons   |  |  |
| P302 + P352                | IF ON SKIN: Wash with plenty of soap and water.                           |  |  |
| P305 + P351 + P338         | IF IN EYES: Rinse cautiously with water for several minutes. Remove       |  |  |
|                            | contact lenses, if present and easy to do. Continue rinsing.              |  |  |
| P333 + P313                | If skin irritation or rash occurs: Get medical advice/attention.          |  |  |
| P337 + P313                | If eye irritation persists: Get medical advice/attention.                 |  |  |
| P363                       | Wash contaminated clothing before reuse.                                  |  |  |
| Storage Precautions        |   |  |  |
| P403 + P235                | Store in a well-ventilated place. Keep cool.                              |  |  |
| Disposal Precautions       |   |  |  |
| P501                       | Dispose of contents/container according to local, state and federal laws. |  |  |
|                            | · · · · · · · · · · · · · · · · · · ·                                     |  |  |

# Supplemental Hazard Statements:

None

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumul ative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# Section 3 - Composition / Information on Ingredients

# 3.1 Substances/Mixtures

# Hazardous ingredients according to Regulation (EC) No 1272/2008

| Chemical name | Classification                                   | CAS-No.                      | Concentration<br>(% wt) |
|---------------|--|------------------------------|-------------------------|
| Amino ether   | Skin corrosion – Cat 2<br>Eye irritation – Cat 2 | 93-67-4<br>EC: 202-266-5     | < 5                     |
| Polyamide     | Skin corrosion – Cat 2<br>Eye irritation – Cat 2 | 395661-93-5<br>EC: 807-767-8 | 15 – 30                 |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **Section 4 - First Aid Measures**

# 4.1 Description of first aid measures

# Inhalation

Remove source(s) of contamination and move victim to fresh air. If breathing has stopped, give artificial respiration, then oxygen if needed. Contact physician immediately.

# Eye Contact

Flush eyes with plenty of water. If irritation persists, seek medical attention.

# **Skin Contact**

In case of skin contact, wash thoroughly with soap and water.

# Ingestion

Do not induce vomiting unless instructed by a physician. Never give anything by mouth to an unconscious person.

- **4.2 Most important symptoms and effects, both acute and delayed** None known.
- 4.3 Indication of any immediate medical attention and specific treatment needed

### Section 5 - Fire-Fighting Measures

# 5.1 Extinguishing Media Water Fog, Dry Chemical, and Carbon Dioxide Foam

5.2 Special hazards arising from the substance or mixture None known.

# 5.3 Advice for firefighters

Use water spray to cool fire-exposed surfaces and to protect personnel. Shut off "fuel" to fire. If a leak or spill has not ignited, use water spray to disperse the vapors. Either allow fire to burn under controlled conditions or extinguish with foam or dry chemical. Try to cover liquid spills with foam. Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full-face piece operated in pressure demand or positive-pressure mode.

# Section 6 - Accidental Release Measures

# 6.1 Personal precautions, protective equipment and emergency procedures Only properly protected personnel should remain in the spill area; dike and contain spill. Stop or reduce discharge if it can be done safely.

# 6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains or unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers. No special environmental precautions required.

# 6.3 Methods and material for containment and cleaning up

Put on appropriate protective gear including approved self-contained breathing apparatus, rubber boots and heavy rubber gloves. Dike and contain spill; absorb or scrape up excess into suitable container for disposal; wash area with dilute ammonia solution. Stop or reduce discharge if it can be done safely.

### 6.4 Reference to other sections

See Section 3 for list of Hazardous Ingredients; Sections 8 for Exposure Controls; and Section 13 for Disposal.

# Section 7 - Handling and Storage

# 7.1 Precautions for safe handling

Use good general housekeeping procedures. Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Store in cool, dry, well ventilated place away from heat, direct sunlight, strong oxidizers and any incompatibles. Store in approved containers

and protect against physical damage. Keep containers securely sealed when not in use. Indoor storage should meet local standards and appropriate fire codes. Containers that have been opened must be carefully resealed to prevent leakage. Empty containers retain residue and may be dangerous. Avoid water contamination.

# 7.3 Specific end use(s)

These precautions are for room temperature handling. Other uses including elevated temperatures or aerosol/spray applications may require added precautions.

# Section 8 - Exposure Controls / Personal Protection

# 8.1 Control parameters:

Contains no substances with occupational exposure limit values.

**Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:** None defined.

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006: None defined.

# 8.2 Exposure controls:

### Engineering measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

#### Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Protective measures**

Ensure that eye flushing systems and safety showers are located close to the working place.

| Section 9 - Phy | sical and C | hemical Pro | perties |
|-----------------|-------------|-------------|---------|
|-----------------|-------------|-------------|---------|

#### 9.1 Information on basic physical and chemical properties:

| Appearance:                | High viscosity grey<br>paste         | Vapor pressure:            | < 10 mmHg @ 70 °F |
|----------------------------|--------------------------------------|----------------------------|-------------------|
| Color Intensity:           | Light                                | Vapor density (Air=1):     | >1.0              |
| Odor:                      | Not Relevant<br>(Insoluble in Water) | Evaporation rate:          | No data           |
| pH:                        | No data                              | Solubility in water:       | Insoluble         |
|                            | 347 °F                               | Specific Gravity           |                   |
| Flash Point:               |                                      | (H2O=1, at 4 °C):          | 1.33              |
| Melting / freezing point:  | No data                              | Relative density:          | No data           |
| Low / high boiling point:  | No data                              | Decomposition temperature: | No data           |
| Upper flammability limits: | f.p. at or above 200 °F              | Viscosity:                 | Dough             |

### Section 10 - Stability and Reactivity

#### 10.1 Reactivity

No hazardous reactions if stored and handled as prescribed/indicated., No corrosive effect on metal. Not fire propagating.

#### 10.2 Chemical stability

These products are stable at room temperature in closed containers under normal storage and handling conditions.

# 10.3 Possibility of hazardous reactions

Hazardous polymerization cannot occur

- 10.4 Conditions to avoid None known
- **10.5 Incompatible materials** Strong bases and acids

#### **10.6 Hazardous decomposition products**

Thermal oxidative decomposition can produce carbon oxides, gasses/vapors, and traces of incompletely burned carbon compounds.

### Section 11- Toxicological Information

# 11.1 Information on toxicological effects: Acute Toxicity

Amino ether CAS 93-67-4 LD50 Oral - Rat - female - 2,600 mg/kg (OECD Test Guideline 401) Inhalation: No data available LD50 Dermal - Rat - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

Skin Corrosion/Irritation

Causes skin irritation.

### Serious Eye Damage/Irritation

Causes serious eye irritation.

#### **Respiratory/Skin Sensitization**

Based on available data the classification criteria are not met.

#### **Germ Cell Mutagenicity**

Based on available data the classification criteria are not met.

#### Carcinogenicity

Based on available data the classification criteria are not met.

#### **Reproductive Toxicity**

Based on available data the classification criteria are not met.

### Specific Target Organ Toxicity – Single Exposure

Based on available data the classification criteria are not met.

# Specific Target Organ Toxicity – Repeated Exposure

Based on available data the classification criteria are not met.

# Aspiration Hazard

Based on available data the classification criteria are not met.

### **Potential Health Effects – Miscellaneous**

No data available

### Section 12 - Ecological Information

- 12.1 Toxicity No data available
- 12.2 Persistence and Degradability No data available
- **12.3 Bioaccumulative Potential** No data available
- **12.4 Mobility in Soil** No data available
- **12.5 Results of PBT and vPvB assessment** No data available

#### **12.6 Other Adverse Effects** No data available

Section 13 - Disposal Considerations

### 13.1 Waste treatment methods

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

# Contaminated packaging

Dispose of as unused product.

# Section 14 - Transport Information

- 14.1 UN number: none
- 14.2 UN proper shipping name: none
- 14.3 Transport hazard class(es): not applicable
- **14.4 Packing group:** not applicable
- 14.5 Environmental hazards: none known
- 14.6 Special precautions for user: none known
- **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** not applicable

### **Section 15 - Regulatory Information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| This safety datasheet complies with the requirements of Regulation (EC) No. 2020/878.  | ) No | o. 1907/2006 and EC |
|--|------|---------------------|
| Regulation (EC) No 649/2012 of the European Parliament<br>and the Council concerning the export and import of<br>dangerous chemicals | :    | Not applicable      |
| REACH - Candidate List of Substances of Very High<br>Concern for Authorization (Article 59).   | :    | Not applicable      |
| REACH Annex XIV: REACH Authorization List  | :    | Not applicable      |
| REACH Annex XVII: REACH Restricted Substance List  | :    | Not applicable      |
| Regulation (EC) No 2019/1021 on substances that deplete the ozone layer  | :    | Not applicable      |
| Regulation (EC) No 850/2004 on persistent organic pollutants   | :    | Not applicable      |
| Seveso III: Directive  | :    | Not applicable      |

#### 15.2 Chemical safety assessment

No chemical safety assessment has been carried out for this substance/mixture by the supplier.

# 16 - Other Information

Full text of H-Statements referred to under Sections 2 and 3.

H315 Skin Corrosion/Irritation – Category 2

**H319** Eye irritation – Category 2A

Version 1 Revision Date November 2, 2022

### Abbreviations and acronyms

ATE - Acute Toxicity Estimate; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006; EINECS - European Inventory of Existing Commercial Chemical Substances ELINCS - European List of Notified Chemical Substances; CAS# - Chemical Abstract Service number; PPE - Personal Protection Equipment; Kow - octanol-water partition coefficient; DNEL - Derived No Effect Level; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); NOEC - No Observed Effect Concentration; PNEC - Predicted No Effect Concentration; RMM - Risk Management Measure; OEL - Occupational Exposure Limit; PBT – Persistent, Bioaccumulative and Toxic; vPvB - Very Persistent and Very Bioaccumulative; STOT - Specific Target Organ Toxicity; CSA - Chemical Safety Assessment; EN - European Standard; UN – United Nations; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; IATA - International Air Transport Association; IMDG - International Maritime Dangerous Goods; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; WGK - Water Hazard Class

# Disclaimer

The information contained in this Safety Data Sheet (SDS) is considered accurate as of the version date. However, no warranty is expressed or implied regarding the accuracy of the data. Since the use of this product is not within the control of Smooth-On Inc., it is the user's obligation to determine the suitability of the product for its intended application and assumes all risk and liability for its safe use.